Scott. II-27—40,004—6-11-26.

Law (Sec) (1929) Department.

3rd. SERIES.

G.O. No. 2671

DATED 8-7-1929

[Despatch Abstract.]

Petroleum

Licence in Form B - Mr. C. Karuppa Nayak of Coondapoor - granted.

****

O.F. 20--86,826—17-12-21.

LAW (GENERAL) **DEPARTMENT.**

(C 431) C

Received ..... 192 . *Registered* 28.6.29 192 .

Subject.

28 June 1929

Petroleum - dangerous - storage - 2000 gallons - otherwise than in bulk - licence - applications forwarded.

ENCLOSURES.
No. .....
.....
Spare copies.....

Ref. on Cl. ~~No.~~ -4365-29.

Station Camp Puttur , *Dated the* 25th June 1929.

From (Name) C. J. Wells, Esquire, M.A., I.C.S.,

(Designation) Dt. Magistrate of South Kanara.

To The Secretary to the Government of Madras,

Law (General) Department,

Madras.

Sir,

I forward the application dated 4th May 1929 of Mr. G. Partaga Mayal of Coondapoor requesting that he may be granted a licence to possess 2000 gallons of dangerous petroleum otherwise than in bulk in his godown in S.No.143/2 of Kundolli village, Coondapoor Taluk of this district.

2. The building has been inspected by the Tahsildar Magistrate of Coondapoor whose reports (enclosed) show that it satisfies all the conditions of the 3 form licence. Petitioner is the agent of the Burmah-Shell Oil Storage and Distributing Company at Coondapoor. The Treasury Chalan receipt for Rs.26,- produced by him is enclosed. I recommend that

he may be granted the licence. 2

Your obedient servant,

W. Lawrence

For Dt. Magistrate.

22.6.25

K.D'S.33/6.

orm G. 142.

BURMAH-SHELL

OIL STORAGE & DISTRIBUTING CO. OF INDIA LTD.

(INCORPORATED IN ENGLAND)

Telegrams: "APCOIL."

No. 54 /502.

Coondapoor
4th May 1929.

To

The District Magistrate
South Canara.
Mangalore

Humble petition of G. Martappa Nayak, Agent
Burmah Shell, Oil Storage & Distributing Co.
Coondapoor

Honoured Sir,

As I intend to Store 2000 gallons of motor Spirit (Petrol) in Cans, drums or barrels, otherwise than in bulk, belonging to Burmah Shell, to whom I represent here, in the Shed, particulars of which are given below, I request, your Honour may be graciously pleased to grant me Storage License at an Early date.

Discription of the Shed: Shed constructed of Stone wall tiled roof in S. No. 143/2 Gangoli village, Coondapoor Taluk.

The License fee Rs 16/- is paid into the Sub Treasury Coondapoor and the Chellan is submitted herewith (Chellan No. 157 of date

I beg to remain
Honoured Sir
Your Honours most
Obedient Servant

G. Martappa Nayak
Agent Burmah Shell
Coondapoor

INDIA COURT FEE INDIA
R. 3/4 R.
TWELVE ANNAS

Cno 205

Ref C 4265 29

Forwarded to the Talukdar of

Condapoor Taluk with a specimen form

B. The site should be inspected

by Survey number and boundaries

reported and it should be stated

whether it complies with all the

conditions on the back of the B form,

particularly conditions 8, 9 and 15.

Resubmitted to the District Magistrate, S. Kanara;

I have this day inspected the building referred to by the petitioner. It fulfills conditions 8, 9, and 15 on the back of the license. The building is situated in S No. 143 of Gangolli. It is bounded on [illegible] all the sides by vacant spaces contained in S. No 143.

21.5.29

R Krishna Rao
Talukdar Kundapur

Mds 219 dtd 8

Resubmitted to the Dt-Magistrate

S. Kanara

The petitioner's building satisfies all the conditions of the B. Form license. It is 24' long and 12' broad, and is made of stone walls and tiled roof. It is situated in S No 143/2 of Gangolli, (as per sketch) at a distance of 15' from the coast-road S No: 148, which lies to the east of S. No 143/2



14.6.29

Petitioner

Dakshina Kanara

Law (General) Dept

[C.No. 4317 a] From the D.M., South Kanara

Ref. a. d. 4265-29 dy 25.6.29.

Subject: Petroleum licence -
B form - 2000 gallons - Mr G.
Mariappa Nayak of Coondapoor

M.S.,

The fee for a licence & store
2000 gallons of dangerous petroleum
in non-bulk
[21 only Rs 14/-. The applicant has
paid Rs 16/-. Rupees two paid in
excess may be refunded.

2. A draft order granting the
licence is submitted.

Thip.
1.7.29

cw
2.7.29

Scott. II-5 (a)—48,004—6-11-28. (6)

24/11/17

Date. Initials.

When received for Fair-copying.
When copied ..
When examined .. 8/7
When signed ..
When despatched ..

(Law General) DEPARTMENT.

Petroleum

Licence B

Mr [redacted]appa Nayak

Coo[redacted]poor - Granted

READ AGAIN G.O. No ....., dated ..... 192 .

" " " " ..... " ..... 192 .

READ ALSO:—

C. No. 4317 From the D. M. South Kanara, No. R.Cel 4265-29, dated 25. 6. 1929.

" " ..... " " ..... " ..... 192 .

" " ..... " " ..... " ..... " ..... 192 .

ORDER.

No. 2671, dated 8/7/1929.

Mis.

A licence in Form B of the petroleum rules is granted to Mr G. Marappa Nayak of Coondapoor, Agent of the Burma Shell Oil Storage and Distributing Company of India, Limited for the storage of 2000 gallons of dangerous petroleum otherwise than in bulk in his godown in Gangolli village, Coondapoor Taluk South Kanara Dt.

2. The licence will be forwarded to the D.M.

Para 1, 1-10-29

South Kanara for delivery
to the applicant.

The Collr. ...
is requested to refund [redacted]
applicant a sum of Rs. [redacted]
being the amount paid in excess
of the proper licence fee.

wd.
1.29.

CW
2.7.29

(L 47/7

Jun 5/7

C. Mem. No. 707 (R)
12.29

To

The D.M. South Kanara
with licence

The Chief Inspector of Explosives
with copy of licence

The Accountant-General,
Madras.

[redacted]

"Save as provided in Rules 9 (1), 13 and 14 of Chapter IV, Part II of the Petroleum Rules, every license for the possession of petroleum shall remain in force until the 31st December next following the date of issue of the license."

Form B.

(Rule 3 of Chapter IV of Part II).

License to possess dangerous Petroleum, otherwise than in bulk, in quantity exceeding forty gallons for the year ending 31st December 1929.

No.

Fee Rs. 14/-
(Fourteen only)

License is hereby granted to Mr G. Marthappa Nayak of Coondapoor, Agent Burma Shell Oil Storage and Distributing Co. of India Limited for the storage in the storage shed described below, of 2000 (Two thousand)

gallons of dangerous Petroleum, subject to the Rules for the Storage of Petroleum published in Notification No. 441, dated 24th July 1909, and to the further conditions on the back of this license.

Shd - 1.7.29

The July 1929.

cw - 2.7.29

Secretary & ~~President,~~
~~Corporation of Madras.~~
Government of Madras
Law Dept

(Description of the storage shed above referred to).

Petrol godown in S. No. 143/2 of Gangolli village, Coondapur taluk South Kanara Dt

Endorsement on Form B.

CONDITIONS OF LICENSE.

1. If the licensing officer call upon the holder of a license, by notice in writing, to execute any repairs of the storage shed, which may, in the opinion of such officer, be necessary for the safety of the shed, the holder of the license shall execute the repairs within such period, not being less than one month from the date of receipt of the notice, as may be fixed by the notice.

2. The license-holder is prohibited from delivering any quantity of dangerous petroleum exceeding three gallons to any one who has not a license under section 5 or section 6 of the Act, or any less quantity of such petroleum, except in accordance with the conditions of the proviso to section 6 of the Act, as to the vessels in which the petroleum must be contained.

3. The petroleum shall be stored in gas-tight tinned or galvanized sheet iron, steel, or lead plate receptacles containing each not more than sixty-five gallons and fitted with well-made filling holes and well-fitting screw plugs, or fitted with screw cap or other cap with metal air-tight undercap. Such receptacles shall be packed in strong wooden cases, the thickness of the wood to be not less than three-eighths of an inch; provided that wood cases shall not be necessary when the receptacles are made of tinned or galvanized sheet iron or steel, and have the following thickness of metal:—

	Not less than
(1) When the capacity does not exceed 2 gallons ...	27 B.W.G.
(2) When the capacity exceeds 2 but does not exceed 4 gallons ...	22 B.W.G.
(3) When the capacity exceeds 4 but does not exceed 8 gallons ...	20 B.W.G.
(4) When the capacity exceeds 8 but does not exceed 20 gallons ...	16 B.W.G.
(5) When the capacity exceeds 20 but does not exceed 30 gallons ...	14 B.W.G.
(6) When the capacity exceeds 30 but does not exceed 40 gallons ...	12 B.W.G.
(7) When the capacity exceeds 40 but does not exceed 65 gallons ...	10 B.W.G.

4. An air-space of at least one-tenth of its capacity shall be left in each receptacle at the time of filling.

5. The receptacle shall be so substantially constructed and secured as not to be liable, except, under circumstances of grave negligence or extraordinary accident, to be broken of become defective, leaky or insecure.

6. The receptacles shall be labelled in accordance with the provisions of section 7 of the Act.

7. Any receptacle, before being repaired, shall be cleared of all dangerous petroleum and of all dangerous vapours arising from the same.

8. The storage shed shall be constructed of masonry or other uninflammable material with terraced, tiled or iron roofs and with tiled or paved or earthen floors.

9. Either the doorways and other openings of the storage shed shall be built up to a height of two feet above the level of the road or street, or the floor sunk to a depth of two feet below the level of the road or street, so that the petroleum cannot flow out from the building in case of its escape from the receptacle in which it is contained, or the building itself shall be surrounded with a masonry wall or embankment or both not less than two feet high. When the quantity of petroleum stored exceeds 16,000 gallons the height or depth shall be three feet.

A combination of these methods is permissible.

10. All ventilating openings in the storage shed shall be protected by strong wire gauze.

11. No light, except a light of such strength, position and character as is not liable to ignite any inflammable vapour, nor fire of any description, shall be permitted at any time within the storage shed.

12. All due precautions shall be taken for the prevention of unauthorized persons having access to any dangerous petroleum kept and to the vessels containing or having actually contained the same.

13. Every person managing or employed on or in connection with the storage shed shall abstain from any act whatever which tends to cause fire or explosion and which is not reasonably necessary, and shall prevent any other person from doing such act.

14. The drum or other receptacle containing dangerous petroleum shall only be opened on the licensed premises at or immediately adjoining the storage shed and for the time necessary for drawing off the petroleum and during such drawing off every reasonable precaution shall be adopted for preventing the escape of dangerous petroleum or the vapour therefrom.

15. The following distances shall be kept clear from protected works round the storage shed:—

Quantity to be stored.	*Distances to be kept clear.*
Not exceeding 500 gallons	20 feet.
From 500 to 1,000 „	25 „
„ 1,000 to 5,000	30 „
„ 5,000 to 15,000 „	40 „
„ 15,000 to 25,000 „	50 „
„ 25,000 to 35,000 „	60 „
„ 35,000 to 50,000 „	70 „
„ 50,000 and over „	100 „

Provided that these distances may be reduced by the Licensing authority on the recommendation of the Chief Inspector of Explosives in cases where screen walls are provided or other special precautions taken, or where there are special circumstances that in the opinion of the Chief Inspector of Explosives warrant the reduction.

16. Provided that when the quantity to be possessed does not exceed 60 gallons the provisions of conditions 8, 9 and 15 shall not apply, but the licensee shall observe the following conditions:—

(i) The storage shed in which the dangerous petroleum is stored shall be well ventilated and constructed of uniflammable material, provided, however, that the doors and windows may be of wood.

(ii) Where a storage shed forms part of or is attached to, another building and when the intervening floor or partition is of an unsubstantial or inflammable character or has openings therein, the whole of such buildnig shall be deemed to be the storage shed and no portion of such storage shed shall be used as a dwelling house or as a place where persons assemble. The storage shed shall have a separate entrance from the open air distinct from any building or dwelling in which persons assemble.

17. The storage shed shall be liable to inspection by an officer not being of lower rank than a Sub-Inspector of Police authorised by the Governor-in-Council in this behalf.

Note.—Round all licensed installations the following spaces must be kept clear in all directions, *viz*:—

Major installations (irrespective of the quantity stored) ..	150 feet.
Minor installations up to 5,000 gallons	15 feet.
„ „ 20,000 gallons	20 feet.
„ „ 50,000 gallons	30 feet.

S. Murthy & Co., Madras.